

A nitrogen fertiliser containing 15 % w/w nitrogen and 12 % w/w calcium
Marketed in accordance with The Fertilisers Regulations 1991, Section A, group 3(c).

Harbest is a liquid fertiliser that provides nitrogen and calcium for use in the growth and development of cereals.

CONTAINS:

Total nitrogen (N).....	15.0 % w/w
Ureic nitrogen (N).....	15.0 % w/w
Water-soluble calcium oxide (CaO)	12.0 % w/w

IMPORTANT INFORMATION:

FOR USE ONLY AS A PROFESSIONAL FERTILISER.

Crops	Maximum individual dose (product / hectare/crop)	Maximum number of treatments per crop	Minimum interval between treatments	Latest time of application
Wheat, barley, triticale, rye, maize	10 L/ha	3	15 days	Up to and including late milky ripe stage (GS 79)

READ THE LABEL BEFORE USE.

Contains boric acid

UFI: 3E50-S05S-700Q-GF62



DANGER

Causes serious eye irritation. May damage fertility. May damage the unborn child. Obtain special instructions before use. Wash thoroughly after handling. Wear protective gloves/face protection / protective clothing / respiratory protection and protective footwear: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF expose or concerned: Get medical advice / attention. Dispose of contents/container to a licensed hazardous-waste disposal contractor or collection site except for empty clean containers which can be disposed of as non-hazardous waste.

To avoid risks to human health and the environment, comply with the instructions for use.

SAFETY PRECAUTIONS:

Operator protection: WHEN USING, DO NOT EAT, DRINK OR SMOKE. Engineering control of operator exposure must be used where reasonably practicable in addition to the following personal protective equipment: WEAR SUITABLE PROTECTIVE GLOVES / FACE PROTECTION / PROTECTIVE CLOTHING / RESPIRATORY PROTECTION AND PROTECTIVE FOOTWEAR when handling the product. However, engineering controls may replace personal protective equipment if a COSHH assessment shows that they provide an equal or higher standard of protection.

Environmental protection: Do not contaminate water with the product or its container. (Do not clean application equipment near surface water/ Avoid contamination via drains from farmyards and roads.)

Storage and disposal: KEEP AWAY FROM FOOD, DRINK AND ANIMAL FEEDING STUFFS. KEEP OUT OF REACH OF CHILDREN. KEEP IN ORIGINAL CONTAINER, tightly closed in a safe place/ under lock and key/ away from damp/ sources of heat. EMPTY CONTAINER COMPLETELY and dispose of safely. DO NOT RE-USE CONTAINER for any purpose.



Manufactured by:
STOLLER EUROPE, S.L.U.
A subsidiary of Corteva Agriscience
Elche Parque Empresarial
C/ Max Planck, 1.
03203 Elche, Alicante (Spain)

Marketing Company:
Corteva Agriscience UK Limited
Unit H4, Building H, Melbourn Science
Park, Cambridge Road,
Melbourn, Cambridgeshire, SG8 6HB

For Technical Enquiries Call: 0800 6898899
or email: ukhotline@corteva.com
24 Hour Emergency Telephone Number: 0161 884 1235
National Poisons Information Service: 111

READ DIRECTIONS FOR USE ON ATTACHED LEAFLET
FOR PROFESSIONAL USE ONLY
PROTECT FROM FROST

DIRECTIONS FOR USE:

IMPORTANT: This information is authorised as part of the Product Label. All instructions within this section must be read carefully in order to obtain safe and successful use of this product.

Harbest is a liquid fertiliser that provides nitrogen and calcium in cereals. The combination of nitrogen and calcium in an unique patented formulation allows the controlled release of these nutrients ensuring their absorption is more efficient and improves nutritional contribution necessary for the correct development of the crop.

CROPS AND APPLICATION TIMING:

Crop	Application Rate	Water volume	Application interval	Number of applications	Application growth stage
Wheat, barley, rye and triticale	5-10 L/ha	200-400 L/ha	Every 15-30 days	1-3	From 4 true leaves (GS14) to late milky ripe stage (GS79)

Harbest should be applied as a foliar spray through a boom sprayer to give an even application.

FOLLOWING CROPS: There are no following crop restrictions after an application of Harbest.

MIXING AND SPRAYING: Half fill the spray tank with clean water and start the agitation. SHAKE THE CONTAINER WELL before use and pour in the required amount of product. Rinse any empty containers thoroughly and add rinsings to the spray tank. Add the remainder of the water and continue agitation until spraying is completed. Spray solution MUST be used on the day of mixing and must NOT be left overnight. Sprayers should be thoroughly cleaned with water and detergent after use, and filters and jets checked for damage and blockages. Boom height should be adjusted to ensure even coverage of the crop, particularly at later growth stages. The correct height is one at which the spray from alternate nozzles meets just above the crop. In dense crops, at later growth stages, higher water volumes should be used. When tank mixes are to be used, each product should be added separately to the spray tank, taking due note of any instructions given as to the order of mixing. After spraying, wash out sprayer thoroughly according to manufacturer's guidelines and dispose of washings and clean container according to DEFRA Code of Practice and local authority guidelines.

STORAGE: Harbest should be stored in a dry, cool, frost free environment between 0-35 °C.

COMPATIBILITY : Harbest should not be mixed with other liquid fertilisers that contain phosphorus or sulphur. For details on compatibilities contact your distributor or Corteva hotline on +44 (0) 800 689 8899 or ukhotline@corteva.com

TRADEMARK ACKNOWLEDGEMENTS : Harbest is a trademark of Corteva Agriscience and its affiliated companies.

CORTEVA AGRISCIENCE CONDITIONS OF SUPPLY:

All goods supplied by us are of high grade and we believe them to be suitable but, as we cannot exercise control over their storage, handling, mixing or use, or the weather conditions before, during or after application which may affect the performance of the goods, all conditions and warranties, statutory or otherwise, as to the quality or fitness for any purpose of our goods are excluded. No responsibility will be accepted by us or re-sellers for any failure in performance, damage or injury whatsoever arising from their storage, handling, application or use. These conditions cannot be varied by our staff or agents whether or not they supervise or assist in the use of such goods.

QR

To access the Safety Data Sheet for this product scan the QR code or use the weblink below:
<https://www.corteva.co.uk/content/dam/dpagco/corteva/eg/uk/en/files/sds>
Alternatively contact your supplier.



™ ® Trademarks of Corteva Agriscience and its affiliated companies.

- Space intended for:
- DataMatrix code
 - Physical form
 - Net mass
 - Net volume
 - Lot number
 - Production date
 - Expiry date